ISSN 2456-3110 Vol 6 · Issue 6 Nov-Dec 2021



# Journal of Ayurveda and Integrated Medical Sciences

www.jaims.in

Indexed

An International Journal for Researches in Ayurveda and Allied Sciences





CASE REPORT Nov-Dec 2021

## Effect of Jalaukavacharna in Raktaja Arsha - A **Case Study**

#### Sunita Chaukimat<sup>1</sup>, Pallavi Hegde<sup>2</sup>

<sup>1</sup>Final year Post Graduate Scholar, Department of PG studies in Shalvatantra, B.V.V. Sangha's BVVS Ayurveda Medical College & Hospital, Bagalkot, Karnataka, India.

<sup>2</sup>Guide and Professor, Department of PG studies in Shalyatantra, B.V.V. Sangha's BVVS Ayurveda Medical College & Hospital, Bagalkot, Karnataka, India.

### ABSTRACT

Arsha is one of the commonest diseases of ano rectal region encounter to day today practice. One among Astamahagada which occurs in Gudabhaga a Marmasthana and well known for its chronicity complication and difficult for treatment. Aacharya Sushruta have mentioned fourfold therapeutics procedure, such as Aushada, Kshara, Agni and Shastra. A case study 40 years female patient presented mass at anal verge associated with pain, discomfort and constipation since 3 days and was diagnosed to have Thrombosed pile, these symptoms can be compared to Raktaja Arsha. Leech application along with Triphala Churna Avagaha and internally Triphala Guggulu has significant role in controlling inflammation and resolution of thrombosis.

Key words: Arsha, Jalaukavacharna, Raktaja Arsha, Bleeding piles, Hemorrhoids, Case study.

#### INTRODUCTION

Aacharya Sushruta, father of surgery has considered Arsha in Astamahagada the Arsha is derived from 'Shru Himsavaam'<sup>[1]</sup> a derivative root from 'Shru' it means 'tear' Aacharya Vagbhata explains it as fleshy projection kills a person like an enemy and creates obstruction in Guda Marga. Hemorrhoids is fairly common disease all over the world. Thrombosed external hemorrhoids are small clot in the perianal subcutaneous tissue can be seen superficial to the corrugator cutis ani muscle this conditions due to back

#### Address for correspondence:

Dr. Sunita Chaukimat

Final year Post Graduate Scholar, Department of PG studies in Shalyatantra, B.V.V. Sangha's BVVS Ayurveda Medical College & Hospital, Bagalkot, Karnataka, India. E-mail: sunitachoukimath@gmail.com Submission Date: 15/11/2021 Accepted Date: 19/12/2021

Access this article online

**Quick Response Code** 



Website: www.jaims.in

Published by Maharshi Charaka Ayurveda Organization, Vijayapur, Karnataka (Regd) under the license CC-by-NC-SA

pressure on the anal venule consequent upon straining at stool, coughing or lifting heavy weight this condition appears suddenly and more painful it is seen lateral to suddenly and more painful it is seen lateral to anal margin as tense and tender swelling the swollen tissue often have a characteristic bluish color and treatment includes incision under local anesthesia and the two halves of the hemorrhoids are excised.<sup>[2]</sup>

In the treatment of Arsha, Acharya Charaka and Vaahbhatta mentioned Acharva role of Jalaukavacharana in Arsha. Acharya Sushruta has described four curative measures with specific indication viz- Bheshaja, Kshara, Agni and Shastra.<sup>[3]</sup>

In this case study, Jalaukavacharana (single sitting) followed by Awagaha Sweda, cold pack and internal medication is given to get relief from symptoms.

#### **CASE REPORT**

A female patient aged about 40yrs visited to OPD of Shalyatantra with chief complaints of pain at anal region with burning sensation and feeling of mass at anal region from last 3 days.

#### ISSN: 2456-3110

#### **History of present illness**

A female patient aged about 40years was apparently healthy 3 days back. She initially experienced pain in the anal region with chronic constipation and later noticed sever pricking pain, which aggravated during sitting, walking and during defecation, since 3 days associated with burning sensation after defecation which lasts for 15-20 minutes and gradually she developed feeling of mass outside the anal region not related to defecation. So, for this above said complaint she approached our hospital for management.

#### **Past history**

K/C/O - hypothyroidism

No history of HTN, DM and Surgical intervention

#### **Family history**

No relevant family history found

#### **Personal history**

Appetite - normal

Thirst - normal

Urine - 4-5 times/ day

Stool - constipated

Sleep - normal

Menstrual history - regular 3-4 days / 28 days cycle

#### **Drug history**

Tab. Thyronorm 50mcg

#### **On examination**

General condition - Fair, afebrile

PR - 72/min

BP - 120/80 mm/Hg

No pallor, No icterus, no cyanosis

CNS - Conscious and oriented.

PA - Soft, Non tender.

Per Rectal Exam

**On Inspection** 

a) Site - swelling at anal region

- b) Shape Oval
- c) Number single
- d) Size 3x2 cms Vertical
- e) Color dark bluish color
- f) Discharge absent

#### **On Palpation**

- a) Tenderness Present
- b) Consistency firm

#### Per rectal examination

a) Sphincter tone - normal

Lab investigation : HIV and HbsAg were negative

**CASE REPORT** 

Nov-Dec 2021

As per complaints, clinical examination and reports she had diagnosed as external Thrombosed Hemorrhoids. We applied leech over Thrombosed hemorrhoids, *Awagaha Sweda* with *Triphala Kwath Churna* twice daily ice pack (afternoon) and Tab. Triphala Guggulu 1 Bid. She was asked to take rest, avoid straining while defecation and fiber rich diet. Immediately after leech application there was considerable reduction in hemorrhoidal mass and asked to come for follow up after 7 days. After 7 days there was no external hemorrhoidal mass, no tenderness. We continued Tab. Triphala Guggulu for next 7 days. Thus, patient got complete relief after leech application.

#### **DISCUSSION AND RESULT**

Thrombosed external hemorrhoids are small blood clots in perianal subcutaneous tissue with bluish purple discoloration often severe painful. There is thrombosis of blood in the vein of external or subcutaneous hemorrhoidal plexus, and it is resolved spontaneously with conservative management if not resolved operative treatment for evacuation of clot has to be done.<sup>[4]</sup>

Jalaukavacharana is one among the Ashastra Kruta Raktha Mokshana mainly indicated for Pitta Dusthti as told by Acharya Sushruta,<sup>[5]</sup> in Rakta Arsha there is vitiation of Pitta along with Raktha. Acharya Charaka and Aacharya Vagbhata also mentioned Jalaukavacharana as treatment principle in Arsha.

#### ISSN: 2456-3110

CASE REPORT Nov-Dec 2021

In this case application of leeches result in the reduction of pain and inflammation due to properties of saliva, as it contains Hirudin, Hyaluronidase, Hementin etc. they secrete anticoagulants to prevent blood clots and relive pressure due to pooling of blood. It helps to reestablish blood flow to the body parts by means of vasodilatation, produces a numbing effect by anesthetic action.

*Raktamokshana* is being practiced in India since long in the management of *Arsha* (Haemorrhoids) *Dusta vrana* (infected wounds), *Granthi* (cystic lesions), *Arbuda* (Neo Plasm) etc. *Jalaukaavacharana* is one type of *Raktamokshana* that counters vitiated *Rakta* and *Pitta*. After piercing the skin, leech sucks the blood and injects number of biological substances into the blood stream. A medium size leech sucks 5-15ml of blood in one sitting. In this study, approximately 7-8 cm size leeches were used and it consumed 10-15 ml of blood in each sitting. As, leeches sucked vitiated *Rakta Dosa* (blood with toxins and unwanted metabolites) from the site it reduced pain and inflammatory signs

The qualities of Jalauka<sup>[6]</sup> are Shita (cold) and Madhura (sweet) are opposite to Pitta Dosa and these qualities might help in pacifying vitiated Pitta. Hirudin, Hyaluronidase, Kallikrein, Histamine, Collagenase, Bdellins, Eglins present in saliva of leech possesses activity of wound healing. Hirudin is capable to increase surface perfusion due to its anti-coagulation effect. Presence of Histamine, a vasodilator constituent improves blood circulation by dilating capillary bed in affected area thus reducing pain. Other substances like hyaluronidase, Bdellins, Eglins possesses anti-inflammatory and antibiotic properties. All these in combination, possibly played a great role in controlling inflammation and helped in wound healing

Triphala Guggulu<sup>[7]</sup> mentioned in Sharangadhara Samhita contains Haritaki, Bibhitaki, Amalaki, Pippali, Guggulu all these herbs are mainly indicated in Shotha, Bhagandara, Gulma and Arsha. i.e., these herbs have property of analgesic, Anti Inflammatory, Immunomodulator and mild laxative. These myrobalan fruits with seeds removed are normally used as a mixture consisting of an equal proportion of all three. This combination has synergistic properties. *Triphala*<sup>[8]</sup> is an effective medicine for all three *Dosha*. It is considered as good as *Rasayana*, which facilitates nourishment to all *Dhatu*. *Triphala* is the drug of choice for the treatment of several diseases, especially wound treatment, dental and skin conditions etc.

#### **CONCLUSION**

In nutshell to conclude *Triphala Churna* in the form of *Avagha* act as Anti-inflammatory, analgesic giving soothing effect and *Triphala Guggulu* act as mild laxative, Anti-inflammatory and reduces pain. Leech contains Hirudin, Hyaluronidase, Kallikrein, Histamine, Collagenase, Bdellins, Eglins present in saliva which possesses activity of wound healing. *Raktamokshana* done with leech will help in wound healing. Thus, combination of *Triphala Guggulu* internally *Triphala Churna Avagaha* given *Sthanika* and *Raktamokshana* done with leech has shown significant result in *Arshas*.



Pradhana Karma



#### Sunita Chaukimat et al. Effect of Jalaukavacharna in Raktaja Arsha - A Case Study

#### ISSN: 2456-3110

**Before Treatment** 

#### CASE REPORT Nov-Dec 2021





After Treatment



#### **R**EFERENCES

- Diagnosis and management of Ano rectal Disease Dr K.K Sijoria "A comprehensive treatise on Ano-rectal Disease for Students and practitioners.first edition 2002 Pg no 78.
- Das S, A concise text book of Surgery 10<sup>th</sup> edition, 2018published by Dr S Das, old Mayors court, calcuta. Pg no 1075
- Dr Ambikadatashastri, Sushruta Samhita Ayurveda Tatvasandeepaka, chaukambha Samsthana Varanasi, Edition 2016, Chikitsa sthana, Chapter no - 6, Shloka No-3, Page no – 46.



#### Sunita Chaukimat et al. Effect of Jalaukavacharna in Raktaja Arsha - A Case Study

#### ISSN: 2456-3110

#### CASE REPORT Nov-Dec 2021

- Das S, A concise text book of Surgery 10<sup>th</sup> edition, 2018published by Dr S Das, old Mayors court, calcuta. Pg no 1075
- Dr Ambikadatashastri, Sushruta Samhita Ayurveda Tatvasandeepaka, chaukambha Samsthana Varanasi, Edition 2016, Sutrashana, Chapter no- 13, Shloka No- 6, Page no- 57
- Dr Ambikadatashastri, Sushruta Samhita Ayurveda Tatvasandeepaka, chaukambha Samsthana Varanasi, Edition 2016, Sutrashana, Chapter no- 13, Shloka No- 6, Page no- 57
- Acharya Sharangadara, Sharangadhara samhita, Madyama Khanda English Translation by Prof K.R Shrikanta murty, chaukamba Orientalia Varanasi edition 2003 chapter 7 shloka no 82-83.

**How to cite this article:** Sunita Chaukimat, Pallavi Hegde. Effect of Jalaukavacharna in Raktaja Arsha - A Case Study. J Ayurveda Integr Med Sci 2021;6:262-266.

**Source of Support:** Nil, **Conflict of Interest:** None declared.

\*\*\*\*\*

**Copyright** © 2021 The Author(s); Published by Maharshi Charaka Ayurveda Organization, Vijayapur (Regd). This is an open-access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by-nc-sa/4.0), which permits unrestricted use, distribution, and perform the work and make derivative works based on it only for non-commercial purposes, provided the original work is properly cited.