



ISSN 2456-3110

Vol 4 · Issue 4

July-Aug 2019

Journal of  
**Ayurveda and Integrated  
Medical Sciences**

*www.jaims.in*

# JAIMS

An International Journal for Researches in Ayurveda and Allied Sciences



**Charaka**  
Publications

Indexed

# A Critical Review of Pharmacological Actions of *Haritaki* (*Terminalia chebula* Retz) In Classical Texts

Dr. Shalu Sharma<sup>1</sup>, Dr. Bhavna Singh<sup>2</sup>, Dr. Hement Kumar<sup>3</sup>

<sup>1</sup>Post Graduate Scholar, <sup>2</sup>Professor & HOD, Post Graduate Department of Dravyaguna, Uttarakhand Ayurvedic College & Hospital, Dehradun, Uttarakhand, <sup>3</sup>Post Graduate Scholar, Department of Community Medicine, Pt. B. D. Sharma P.G.I.M.S. Rohtak, Haryana, INDIA.

## ABSTRACT

The drug *Haritaki* (*Terminalia chebula* Retz.) belongs to family Combretaceae is used since ancient time for therapeutic purposes. It has been widely used in the traditional Indian medical system of 'Ayurveda' for the treatment of a variety of ailments. Ayurvedic scholar *Acharya Bhavprakash* described the *Haritaki* as first drug in *Bhavprakash Nighantu*. It is called the "King of Medicines" in the Tibet and is always listed first in the Ayurvedic materia medica because of its extraordinary powers of healing with a wide spectrum of biological activity. *Haritaki* has five *Rasa* (taste) except *Lavana* (salt), its *Vipaka* (taste after digestion) is *Madhura* (sweet) and *Veerya* (potency) is *Ushna* (hot). Due to these virtues the plant performs various pharmacological actions such as *Rasayana* (rejuvenating), *Medhya* (brain tonic), *Deepana* (appetizer), *Aampachana* (digest Aama or toxins) and *Srotas-Shodhana* (cleaning the channels by detoxifying the metabolic waste). It helps to improve physical and mental health, prevents degeneration, extends youth and delays aging or rather reverse the aging process. Nowadays different modern researches have revealed its chemical components and pharmacological activities. Main phyto-chemicals of *Haritaki* are chebulic acid, gallic acid, corilagin, chebulagic acid, ellagic acid, chebulinic acid, triterpenoids and anthraquinones. It performs various therapeutical actions like; antimicrobial, anti-inflammatory, antioxidant, anti-diabetic, hepato-protective, anti-mutagenic, anti-proliferative, radio-protective, cardio-protective etc. This paper presented a comprehensive review of *T. chebula* especially its pharmacological actions on the basis of ancient texts as well as modern literatures.

**Key words:** *Haritaki*, *Terminalia Chebula Retz*, *Ayurveda*, *Pharmacological Activity*.

## INTRODUCTION

*Haritaki* (*Terminalia chebula* Retz) is held a supreme position in Ayurveda. It is one of the important as well as commonest herbs used by folk, house hold and

### Address for correspondence:

Dr. Shalu Sharma

Post Graduate Scholar, Post Graduate Department of Dravya Guna, Uttarakhand Ayurvedic College & Hospital, Dehradun, Uttarakhand, India.

E-mail: drshalu164@gmail.com

Submission Date: 08/08/2019 Accepted Date: 25/08/2019

### Access this article online

#### Quick Response Code



Website: [www.jaims.in](http://www.jaims.in)

Published by Maharshi Charaka Ayurveda Organization, Vijayapur, Karnataka (Regd) under the license CC-by-NC-SA

traditional medicine. *Acharya Bhavamishra* a renounced scholar of Ayurveda in 16<sup>th</sup> century, described the *Haritaki* firstly in his *Nighantu*. He told the story about the arisen of *Haritaki* that once upon a time *Indra* was drinking *Amrita* (nectar) one drop of it fell on the earth and *Haritaki* grown from that divine drop.<sup>[1]</sup> *Acharya Charaka* stated *Haritaki* as best among the herbs to be used regularly. *Haritaki* is the best among *Pathya* (wholesome) *Dravya*.<sup>[2]</sup> According to *Acharya Sharangdhar*, it is the best among *Anulomana* (mild laxative) *Dravyas*.<sup>[3]</sup>

It is found throughout India up to an altitude of 1500.<sup>[4]</sup> It's fruit rind is used for medicine. Hundreds of formulations of *Haritaki* are described in Ayurveda texts. It is one of the ingredients in most common and famous formulation of Ayurveda i.e. *Triphala* (three *myrobalans*). *Bhavamishra* describes seven

varieties of *Haritaki* viz; *Vijaya*, *Rohini*, *Putana*, *Amrita*, *Abhaya*, *Jivanti* and *Chetaki*.<sup>[5]</sup>

#### Vernacular names

**Sanskrit:** Abhaya, Kayastha, Pathya, Vijaya; **Assamese:** Shilikha; **Bengali:** Haritaki; **English:** Myrobalan; **Gujrati:** Hirdo, Himaja, Pulo-harda; **Hindi:** Harre, Harad, Harar; **Kannada:** Alalekai; **Kashmiri:** Halela; **Malayalam:** Katukka; **Marathi:** Hirda, Haritaki, Harda, Hireda; **Oriya:** Harida; **Punjabi:** Halela, Harar; **Tamil:** Kadukkai; **Telugu:** Karaka, Karakkaya; **Urdu:** Halela.



Picture 1: *Haritaki* fruits with plant



Picture 2: Dry *Haritaki* fruits

#### Interpretation and etymology of synonyms<sup>[6]</sup>

- *Haritaki*- It provides a good complexion or colour.
- *Abhaya*- It relieves fear against all diseases.
- *Avyatha*- Its usage provides relief from many diseases.
- *Pathya*- It cleanses the channels hence beneficial to the body.
- *Kayastha*- Once used internally it always remains useful (fruitful) in eliminating diseases.
- *Putana*- Cleanses the body by purgation.
- *Amrita*- It has a rasayana property and rejuvenates the body and removes the diseases.
- *Hemvati*- Grows (everywhere and) in Himalayas.
- *Chetaki*- It cleanses the channels in the head and improves mental function.
- *Shreyasi*- It is highly beneficial due to its good properties.
- *Shiva*- It brings good fortunes.
- *Vijaya*- It specifically conquers diseases.
- *Jivanti*- It provides *Rasayana* (Rejuvenative) effect for a long time and thus increases longevity.
- *Rohini*- It is useful for healing of wounds.

Table 1: Synonyms of *Haritaki*

| Synonyms           | D.N. <sup>[7]</sup> | S.N. <sup>[8]</sup> | M.P.N. <sup>[9]</sup> | K.N. <sup>[10]</sup> | Bh.N. <sup>[11]</sup> | R.N. <sup>[12]</sup> |
|--------------------|---------------------|---------------------|-----------------------|----------------------|-----------------------|----------------------|
| <i>Abhaya</i>      | +                   | +                   | +                     | +                    | +                     | +                    |
| <i>Amogha</i>      | -                   | -                   | +                     | -                    | -                     | -                    |
| <i>Amrita</i>      | +                   | +                   | +                     | -                    | +                     | +                    |
| <i>Avyatha</i>     | +                   | +                   | -                     | -                    | +                     | +                    |
| <i>Bhishagvara</i> | -                   | -                   | -                     | -                    | -                     | +                    |
| <i>Chetaki</i>     | +                   | +                   | +                     | -                    | +                     | -                    |

|                   |   |   |   |   |   |   |
|-------------------|---|---|---|---|---|---|
| <i>Chetanika</i>  | - | - | - | - | - | + |
| <i>Devi</i>       | - | - | - | - | - | + |
| <i>Divyaa</i>     | - | - | - | - | - | + |
| <i>Haritaki</i>   | + | + | + | + | + | + |
| <i>Haimavati</i>  | + | + | + | + | + | + |
| <i>Himaja</i>     | - | + | - | - | - | - |
| <i>Jaya</i>       | + | + | + | - | - | + |
| <i>Jeevaniya</i>  | - | - | + | - | - | - |
| <i>Jivanti</i>    | - | + | - | - | + | + |
| <i>Jeevpriya</i>  | - | - | - | - | - | + |
| <i>Jeevya</i>     | - | - | - | - | - | + |
| <i>Kalika</i>     | - | + | - | - | - | - |
| <i>Kayastha</i>   | - | + | + | + | + | + |
| <i>Nandini</i>    | + | + | + | - | - | - |
| <i>Pathya</i>     | + | + | + | + | + | + |
| <i>Pranada</i>    | + | + | + | + | - | + |
| <i>Prapathya</i>  | + | + | + | + | - | + |
| <i>Putana</i>     | + | + | + | - | + | + |
| <i>Ramturyaka</i> | - | + | - | - | - | - |
| <i>Rohini</i>     | + | + | + | - | + | + |
| <i>Ropani</i>     | - | + | - | - | - | - |
| <i>Shiva</i>      | + | + | + | + | + | + |
| <i>Shreyasi</i>   | - | + | + | + | + | + |
| <i>Surabhi</i>    | - | + | - | - | - | - |
| <i>Vayastha</i>   | + | + | + | - | + | - |
| <i>Vijaya</i>     | + | + | + | + | + | + |

|          |   |   |   |   |   |   |
|----------|---|---|---|---|---|---|
| Vratna   | - | - | + | - | - | - |
| Prathama | - | - | + | - | - | - |
| Jivanika | - | - | - | - |   | + |

D.N. - Dhanvantari Nighantu, S.N. - Shodhala Nighantu, K.N. - Kaiyadeva Nighantu, M.P.N. - Madanpala Nighantu, Bh.N. - Bhavprakasha Nighantu, R.N. - Raj Nighantu

### Morphology

It is a moderate sized deciduous tree, attaining height 25-30m. Leaf-buds, branchlets and youngest leaves are soft, shining, and generally with rust-coloured hairs. **Bark** is usually 6mm. thick, and dark brown with many shallow vertical cracks. **Leaves** are 7-20 cm. long and 4-8 cm. breadth, elliptic-oblong, rounded or cordate at base, glabrous, alternate or sub-opposite, secondary nerves 6-8 pairs, arching, prominent; petioles 2-5 cm. long, pubescent, usually with 2 glands near the top. **Flowers** are hermaphrodite, 4mm. across, sessile, dull white or yellowish, with an offensive smell. **Fruit** is ellipsoidal or ovoid, more or less distinctly 5-angled.

### Chemical composition

*Haritaki* consisted of several phyto-constituents like tannin, flavonoids, sterols, amino acid, fructose, resin, fixed oil etc.<sup>[13]</sup> It contains 33% of hydrolysable tannin which is responsible for pharmacological action. The chief components of tannin are chebulic acid, chebulinic acid, chebulagic acid, gallic acid, corilagin and ellagic acid. Tannins of *Haritaki* are of pyrogallol (hydrolysable) type. Phytochemicals like anthraquinones, ethaedioic acid, sennoside, 4,2,4 chebulyl-d-glucopyranose, terpinenes and terpinenols have also been reported to be present.<sup>[14,15]</sup> Triterpenoids and their glycoside have been isolated from the stem bark of *Haritaki*.<sup>[16]</sup>

## MATERIALS AND METHODS

### Brihatrayi

- *Charaka Samhita*
- *Sushruta Samhita*
- *Vagbhatta*

### Nighantus

- *Dhanvantari Nighantu* (10th Century A.D.) is composed by *Mahendra Bhougika*.
- *Shodhala Nighantu* (12th Century A.D.) is written by *Acharya Shodhala*.
- *Madanapala Nighantu* (14th century A.D.) is also known as *Madan Vinoda* written by *Madan Pal*.
- *Kaiyadeva Nighantu* (14th Century A.D.) is written by *Kaiyadeva*
- *Bhavaprakasha Nighantu* (16th Cent. A. D.) is written by *Acharya Bhava Mishra*.
- *Raj Nighantu* (17th Century A.D.) is also known as *Abhidana Chudamani* or *Nighanturaja*, written by *Narhari Pandita*.
- Modern medical databases (PubMed, Scirus, Science Direct and Scopus)

## DISCUSSION

In *Charaka Samhita*, *Haritaki* was mentioned with six synonyms i.e. *Abhaya*, *Amrita*, *Pathya*, *Vijaya*, *Shiva* and *Haritaki*. It is described as best *Pathya Dravya* and classified under the eight groups i.e. *Arshoghna*,<sup>[17]</sup> *Kushthaghna*,<sup>[18]</sup> *Virechanopaga*,<sup>[19]</sup> *Hikka-nigrahana*,<sup>[20]</sup> *Kasahar*,<sup>[21]</sup> *Jwarahar*,<sup>[22]</sup> *Prajasthapana*,<sup>[23]</sup> *Vayah-Sthapana*<sup>[24]</sup> *Mahakashaya*. *Charaka* indicated *Haritaki* in *Jwara* (fever), *Prameha* (diabetes), *Kushtha* (leprosy), *Unmada* (mental disorder), *Apasmara* (epilepsy), *Krimi Roga* (worm infestation), *Pandu* (anaemia), *Grahani* (small intestine disease), *Visha* (poisoning) and *Madatyaya* (alcoholism) etc.<sup>[25]</sup> *Acharya* used it in various formulations, some are very common and used



frequently such as *Agastya Haritaki*, *Abhayarishta*, *Phalarishta*, *Kansa Haritaki* and *Chitraka-Haritaki* etc.

In *Sushruta Samhita*, *Haritaki* was mentioned with same synonyms as *Charak Samhita* except one i.e. *Shiva* is replaced by *Vijaya*. *Acharya Sushruta* classified *Haritaki* under *Vachadi*,<sup>[26]</sup> *Mushkakadi*,<sup>[27]</sup> *Parushakadi*,<sup>[28]</sup> *Mustadi*,<sup>[29]</sup> *Triphaladi*<sup>[30]</sup> and *Amlakyadi Gana*.<sup>[31]</sup> It is indicated in various diseases like *Kushtha* (leprosy), *Kandu* (pruritis), *Apasmara* (epilepsy), *Unmada* (mental disorder), *Pandu* (anaemia), *Bhagandara* (fistula), *Pliha Roga* (spleen disorder), *Urustambha* (paraplegia), *Netra Roga* (eye disease), *Raktapitta* (bleeding-disorder), *Prameha* (diabetes).

*Acharya Vagbhatta* classified it in *Vachadi Gana*.<sup>[32],[33]</sup> In *Ashtanga Hridaya*, a new synonym is mentioned as *Pranada*. *Acharya* indicated it in *Raktagulma* (tumor arising from the blood), *Kshata* (injury), *Timira* (eye disease), *Visha* (poisoning), *Vrana* (wound), *Ajirna* (indigestion), *Kushtha* (leprosy), *Twakdosha* (skin diseases) and *Udararoga* (gastro-intestinal disorder) etc.

**Table 2: Formulations and *Rogaadhikara* (Drug of choice) of *Haritaki* in *Charaka Samhita*.**

| <i>Adhyaya &amp; Shloka</i> | Formulations                     | <i>Rogaadhikara</i> |
|-----------------------------|----------------------------------|---------------------|
| <b><i>Sutrasthana</i></b>   |                                  |                     |
| 4-11/12                     | <i>Arshoghna Mahakashaya</i>     | Piles               |
| 4-11/13                     | <i>Kushthaghna Mahakashaya</i>   | Leprosy             |
| 4-15/30                     | <i>Hikkanigrahan Mahakashaya</i> | Hiccup              |
| 4-16/36                     | <i>Kasahara Mahakashaya</i>      | Cough               |
| <b><i>Vimanasthana</i></b>  |                                  |                     |
| 7-21                        | <i>Kriminashaka Pooplika</i>     | Worm infestation    |

| <b><i>Chikitsasthana</i></b> |                                      |                                   |
|------------------------------|--------------------------------------|-----------------------------------|
| 3-201                        | <i>Anyedyushak Jwarahara Kashaya</i> | Fever                             |
| 3-204                        | <i>Vatsakadi Kashaya</i>             | Fever                             |
| 3-206                        | <i>Mdhukadi Sheeta Kashaya</i>       | Fever                             |
| 3-208                        | <i>Triphaladi Kwatha</i>             | Fever with constipation           |
| 3-222                        | <i>Vasadi Ghrita</i>                 | Chronic Fever                     |
| 3-231                        | <i>Virechana Dravya</i>              | Fever                             |
| 3-307                        | <i>Dhoopa</i>                        | Intermittent Fever                |
| 5-79                         | <i>Hingwadi Choorna</i>              | Anorexia, cough, hiccup.          |
| 5-106                        | <i>Nilinyadi Ghrita</i>              | Leprosy, fever, anaemia.          |
| 5-115                        | <i>Rohinyadya Ghrita</i>             | Thirst, anorexia.                 |
| 5-123,124                    | <i>Drakshadya Ghrita</i>             | Paittika vikara. Blood disorders. |
| 5-154                        | <i>Danti Haritaki</i>                | Intermittent Fever, jaundice.     |
| 9-45                         | <i>Mahapaishachika Ghrita</i>        | Epilepsy, seizures.               |
| 9-49                         | <i>Lashunadya Ghrita</i>             | Epilepsy                          |
| 10-48                        | <i>Mustadi Varti Anjan</i>           | Epilepsy, lucoderma.              |
| 12-53                        | <i>Patolmooladi Kwatha</i>           | Fever                             |
| 14-138                       | <i>Abhayarishta</i>                  | Jaundice, worm infestation,       |
| 14-148                       | <i>Phalarishta</i>                   | Cough, splenomegaly.              |
| 15-88                        | <i>Panchmooladya Ghrita</i>          | Cough and Asthma.                 |

|                       |                               |                                  |
|-----------------------|-------------------------------|----------------------------------|
| 15-168                | <i>Pippalimooladi Churna</i>  | Anorexia                         |
| 18-58                 | <i>Agastya Haritaki</i>       | Piles and heart diseases.        |
| 18-126                | <i>Kantakari Ghrita</i>       | Cough and dyspnoea.              |
| <b>Kalpasthanana</b>  |                               |                                  |
| 7-46                  | <i>Vyoshadi Modaka</i>        | Poisoning and urinary disorders. |
| <b>Siddhasthanana</b> |                               |                                  |
| 3-54                  | <i>Drakshadi Niruha Basti</i> | Burning sensation                |

**Table 3: Formulations and Rogaadhikara (Drug of choice) of Haritaki in Sushruta Samhita.**

| Adhyaya & Shloka        | Formulations           | Rogaadhikara                                   |
|-------------------------|------------------------|--|
| <b>Sutrasthanana</b>    |                        |  |
| 38-26                   | <i>Vachadi Gana</i>    | Lactation disorders and degenerative disorders |
| 38-57                   | <i>Triphala</i>        | Intermittent Fever                             |
| 38-60                   | <i>Amlakyadi Gana</i>  | Fever  |
| 46-518                  | <i>Haritaki Churna</i> | Heart disease                                  |
| <b>Chikitsasthanana</b> |                        |  |
| 9-10                    | <i>Kushthahar Lepa</i> | Leprosy  |
| 25-28                   | <i>Nili taila</i>      | Greying Hair                                   |
| 25-43                   | <i>Lakshadi Ghrita</i> | Leprosy  |
| <b>Kalpasthanana</b>    |                        |  |
| 7-16                    | <i>Kwatha</i>          | Rat Bite                                       |
| <b>Uttaratantra</b>     |                        |  |

|        |                            |   |
|--------|----------------------------|---|
| 17-19  | <i>Anjan</i>               | Night blindness                         |
| 39-216 | <i>Kwatha Visham Jwara</i> | Intermittent Fever                      |
| 42-48  | <i>Vrischivadi Arishta</i> | <i>Gulma</i> , Anorexia                 |
| 51-28  | <i>Talishadi Ghrita</i>    | Dyspnoea                                |
| 58-66  | <i>Mahabala Ghrita</i>     | Menstrual disorders, urinary disorders. |

### Haritaki in Nighantus (Lexicons)

Word *Nighantu* is derived from the word *Nirukta* i.e. which helps to point out concealed meaning of *Vedas*. Similarly, *Nighantus* contain documented list of medicinal plants and throw light on their general and therapeutic properties in the form of different synonyms. Thus we can say *Nighantus* are Ayurvedic materia medica. *Haritaki* is described in *Nighantus* as *Rasayana* (rejuvenating),<sup>[34],[35]</sup> *Vrinaropana* (wound healing),<sup>[36],[37]</sup> *Shulahara* (antispasmodic),<sup>[38],[39]</sup> *Hrudya* (cardioprotective)<sup>[36],[37]</sup> and *Pramehanashaka* (antidiabetic).<sup>[38],[39]</sup> It is indicated in *Vishamjwara* (malaria),<sup>[34],[37]</sup> *Udararoga* (gastro-intestinal disorders),<sup>[37],[38]</sup> *Shiroroga* (disease of the head)<sup>[34],[38]</sup> and *Krimiroga* (worm Infestation).<sup>[38],[39]</sup>

There are seven types of *Haritaki* have been explored in *Bhavaprakash Nighantu*, which are enlisted below:

**Table 4: Showing Species, origin place and indications of seven types of Haritaki.<sup>[40]</sup>**

| Species       | Origin place       | Indications                             |
|---------------|--------------------|---|
| <i>Vijaya</i> | Vindhya            | used in all diseases.                   |
| <i>Rohini</i> | Pratishtanaka      | used for woundhealing.                  |
| <i>Putana</i> | Sindh              | used for externalplastering             |
| <i>Amrita</i> | Champa             | used as detoxification & body purifier. |
| <i>Abhaya</i> | Champa, Bangladesh | used in ophthalmic diseases             |

|                |                  |                       |
|----------------|------------------|-----------------------|
| <i>Jivanti</i> | Saurashtra       | used in all diseases. |
| <i>Chetaki</i> | Himachal Pradesh | Laxative              |

**Acharya Kaiyadeva** quoted three varieties of *Haritaki* viz., *Niraja*, *Vanaja* and *Parvatiya*.<sup>[41]</sup>

#### **Ritu Haritaki<sup>[42]</sup>**

**Aacharya Bhavprakash** mentioned *Ritu Haritaki* for the purpose of *Rasayana* (rejuvenation, anti-aging and immunity promoter). *Haritaki* is taken along with different *Anupaan* (vehicle) in different *Ritu* (seasons). This regimen is called as *Ritu Haritaki*.

- *Varsha Ritu* - *Haritaki* is given along with *Saindhava* (rock salt).
- *Sharad Ritu* - It is given along with *Sharkara* (sugar).
- *Hemanta Ritu* - It is given along with *Shunti* (*Zingiber officinale* roxb).

- *Shishir Ritu* - It is given along with *Pippali* (*Piper longum* linn).
- *Vasant Ritu* - It is given along with *Madhu* (honey).
- *Greeshma Ritu* - It is given along with *Guda* (jaggery).

#### **Rasapanchaka of Haritaki<sup>[43]</sup>**

- *Rasa* (Taste) - *Pancharasatmaka* i.e. having five taste viz. *Madhura* (Sweet), *Amla* (Sour), *Katu* (Pungent), *Tikta* (Bitter) and *Kashaya* (Astringent).
- *Guna* (Quality) - *Laghu* (Light), *Ruksha* (Dry).
- *Veerya* (Potency) - *Ushna* (Hot)
- *Vipaka* (Taste conversion after digestion) - *Madhura* (Sweet).

#### **Karma (pharmacological action)**

*Haritaki* performs various pharmacological actions which are described as following;

**Table 5: Showing the Karma of Haritaki according to different Nighantus.**

| <b>Karma (pharmacological actions)</b>   | <b>D.N.<sup>[34]</sup></b> | <b>S.N.<sup>[35]</sup></b> | <b>M.P.N.<sup>[36]</sup></b> | <b>K.N.<sup>[37]</sup></b> | <b>Bh.N.<sup>[38]</sup></b> | <b>R.N.<sup>[39]</sup></b> |
|--|----------------------------|----------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|
| <i>Deepana</i> (appetizer)               | -                          | +                          | -                            | +                          | -                           | -                          |
| <i>Arshanashaka</i> (anti- haemorrhoids) | -                          | +                          | +                            | +                          | +                           | -                          |
| <i>Atisarnashaka</i> (anti-diarrheal)    | -                          | +                          | -                            | +                          | -                           | -                          |
| <i>Chakshushya</i> (beneficial to eyes)  | +                          | -                          | +                            | +                          | +                           | +                          |
| <i>Chhardinashaka</i> (anti- emetic)     | +                          | +                          | +                            | +                          | +                           | -                          |
| <i>Hridyorognashaka</i> (heart disease)  | -                          | +                          | +                            | +                          | +                           | -                          |
| <i>Hridya</i> (beneficial for heart)     | +                          | -                          | -                            | -                          | -                           | -                          |
| <i>Kamlanashaka</i> (hepatoprotective)   | -                          | +                          | +                            | +                          | +                           | -                          |
| <i>Kasahar</i> (anti-cough)              | -                          | +                          | +                            | +                          | +                           | -                          |
| <i>Kushthahar</i> (anti-leprosy)         | +                          | +                          | +                            | +                          | +                           | +                          |
| <i>Medhya</i> (brain tonic)              | +                          | +                          | +                            | +                          | +                           | -                          |
| <i>Mehanashaka</i> (anti diabetic)       | +                          | +                          | +                            | +                          | +                           | -                          |



|  |   |   |   |   |   |   |
|--|---|---|---|---|---|---|
| <i>Shophahar</i> (anti-inflammatory)   | + | + | + | + | - | - |
| <i>Swashara</i> (anti-asthmatic)       | - | + | + | + | + | - |
| <i>Vayasthapani</i> (anti-aging)       | - | + | + | - | - | - |
| <i>Visham Jwarahara</i> (anti-pyretic) | - | + | + | + | + | - |
| <i>Vranaropana</i> (wound healing)     | + | - | + | + | - | - |
| <i>Rasayana</i> (rejuvenation)         | - | - | + | - | - | + |
| <i>Ayushya</i> (beneficial for life)   | - | + | - | + | + | - |

*D.N. - Dhanvantari Nighantu, S.N. - Shodhala Nighantu, K.N. - Kaiydeva Nighantu, M.P.N. - Madanpala Nighantu, Bh.N. - Bhavprakasha Nighantu, R.N. - Raj Nighantu*

### A comparative review of Pharmacological actions of Haritaki in Ayurveda and as per modern researches

Nowadays, pharmaceuticals are being interested towards the herbal medicine, and many researches are being to reveal the pharmacological actions of different phyto-chemicals found in plants. As we have discussed previously that *T. Chebula* is one of the most common used drug in Ayurveda and ethno medicine. Different modern researches have proved its various pharmacological actions as well.

### Immunomodulatory Activity and Anti-oxidant activity

In Ayurveda, *Hartaki* is considered the best *Pathya Dravya* (substances that clean the channels) and a good *Rasayan* (immunomodulator). Vaibhav Aher and Arun Kumar Wahj<sup>[44]</sup> have seen the Immunomodulatory Activity of *Terminalia chebula* Retz. They have assessed the immunomodulatory potential of the alcohol extract of the dry ripe fruit of this plant at the cellular and molecular levels using Wistar male rats. These studies showed that there was distinct increase in the levels of glutathione, superoxide dismutase and catalase following treatment with *T. chebula* as alcohol extract compared to treatment with SRBC and cyclophosphamide. Glutathione is the major endogenous antioxidant produced by cells and Catalase is an antioxidant enzyme while Superoxide dismutase induces the activation of endogenous

system of antioxidant defences. Therefore, the extract has both antioxidant as well and immunomodulatory activities, and is thus capable of protecting cells from oxidative damage. Chen X. et.al. evaluated the antioxidant capacity of tri-ethylchebulate, an aglyconer from *Terminalia chebula* Retz fruit in vitro.<sup>[45]</sup>

### Antitussive activity

*Haritaki* in *Nighantus* described as *Kasahara* i.e. to alleviate the cough. Gabriela Nosalova et.al. has evaluated the anti-tussive activity of water-extracted carbohydrate polymer from the fruits of *Terminalia chebula retz*.<sup>[46]</sup> in guinea pigs. Their results showed that the number of citric acid-induced cough efforts decreased significantly after the oral application of polysaccharide fraction in a dose of 50mg/kg body weight. Its antitussive efficacy was higher than cough suppressive effect of standard drug codeine. Therefore, traditional aqueous extraction method provides a major polysaccharide, which induces a pharmacological effect.

### Anti-diabetic activity

In classic texts, *Hartaki* is indicated frequently in the treatment of *Prameha* (diabetes). Various animal experiments show that *Haritaki* fruit is effective to decrease blood sugar levels and useful in diabetes. Murali et.al. has observed that 75% methanolic extract of *Terminalia chebula* (100 mg/kg body

weight) reduced the blood sugar level in normal and alloxan diabetic rats significantly.<sup>[47]</sup> Ethanolic extracts of *T. chebula* exhibited dose dependent reduction in blood glucose of Alloxan induced diabetic rats.<sup>[48]</sup>

#### Cardio-protective activity

*Haritaki* is considered as *Hridya* i.e. beneficial for heart and indicated in heart disease. Suchalatha *et.al.* has investigated the cardio-protective effect of ethanolic extract of *T. chebula* fruits (500 mg/kg body weight) in rats and it was found that pre-treatment with *T. chebula* extract is cardio-protective.<sup>[49]</sup> Its pericarp has been reported to have cardio-protective activity in isolated frog heart model.<sup>[50]</sup>

#### Hepato-protective activity

*Haritaki* is drug of choice for gastro-intestinal and liver-disorders, it is traditionally used for indigestion. Tasduq *et.al.* has reported the hepato-protective activity of ethanolic extract of *T. chebula* fruits against anti-tuberculosis drugs.<sup>[51]</sup> During the experimental study on caecal amoebiasis in rats Sohni YR found its anti-amoebic activity against *Entamoeba histolytica*.<sup>[52]</sup> Sharma P. *et.al.* revealed anti-ulcerogenic activity of *Terminalia chebula* fruit in experimentally induced ulcer in rats.<sup>[53]</sup>

#### Skin Diseases

In *Ayurvedic* text, *Haritaki* is stated as *Kushthaghna* i.e. to alleviate the skin diseases including leprosy, various modern researches have proved its activities against a number of dermatophytes and yeasts and it is found that aqueous extract of *T. chebula* exhibited antifungal activity.<sup>[54]</sup>

#### Anti-ulcerogenic & wound healing activity

Sharma *et.al.* has examined on the animals pre-treated at 200 and 500 mg/kg body weight with hydro alcoholic extract of *Terminalia chebula* showed reduction in lesion index, total affected area and percentage of lesion in comparison with control groups in the aspirin, ethanol and cold restraint stress induced ulcer models.<sup>[55]</sup>

#### Anti-arthritis activity

Nair *et.al.* has investigated on the hydro-alcoholic extract of *Terminalia chebula*, it produced a significant

inhibition of joint swelling as compared to control in both formaldehyde-induced and CFA-induced arthritis and it also reduced serum TNF- $\alpha$  level and synovial expression of TNF-R1, IL-6 and IL-1 $\beta$ .<sup>[56]</sup>

#### Anti-mutagenic and anti-carcinogenic activities

Ponnusankar *et.al.* has performed by the effect of 70% methanolic fruit extract of *Terminalia chebula* was studied on growth of several malignant cell lines. One of the fractionated compounds from ethanolic fruit extract of *Terminalia chebula*, chebulagic acid, showed potent dual inhibition against COX and 5-LOX. It also showed anti-proliferative activity against HCT-15, COLO-205, MDA-MB-231, DU-145 and K562 cell lines. A recent study has shown the ability of triphala to inhibit cytochrome P450.<sup>[57]</sup>

#### Anti-viral activity

Lin *et.al.* the extract of fruits of *Terminalia chebula* showed inhibitory effects on human immunodeficiency virus-1 reverse transcriptase. Hot water extract of *Terminalia chebula* showed anti-herpes simplex virus (HSV) activity in-vivo and anti-cytomegalovirus (CMV) activity both in-vitro and in vivo in a study. *Terminalia chebula* inhibited HSV-1 entry at non-cytotoxic doses in A549 human lung cells by preventing binding, penetration, and cell to cell spread, as well as secondary infection.<sup>[58]</sup>

#### Radio-protective activity

Radio-protective activity Gandhi *et.al.* has estimates on the aqueous extract of the fruit of *Terminalia chebula* (50 $\mu$ g) was able to neutralize 1, 1-diphenyl-2picrylhydrazyl, a stable free radical by 92.9% and protected the plasmid DNA pBR322 from undergoing the radiation-induced strand breaks.<sup>[59]</sup>

#### Anthelmintic activity

In *Ayurveda* *Haritaki* is described as *Krimihara* i.e. to alleviate Parasites or microbes. S. Dwivedi *et.al.* evaluated the anti-helmintic activity of alcoholic and aqueous extracts of the fruits of *Terminalia chebula* and it was found that the alcoholic extract activity is higher than aqueous extract and the standard drug of albendazole.<sup>[60]</sup>

**Antiplasmodial activity**

In Ayurveda *Haritaki* is described as *Krimihara* i.e. to alleviate Parasites or microbes. A study has been done by Khosit Pinmai *et.al.* to evaluate the anti-plasmodial activity of *Phyllanthus emblica*, *Terminalia chebula*, and *Terminalia bellerica* extracts. This study revealed that the three plants had the antiplasmodial activity in vitro and in vivo both.<sup>[61]</sup>

**Table 6: A comparison of pharmacological action of *Terminalia Chebula* mentioned in modern research and Ayurvedic texts as well.**

| Modern                                      | Ayurvedic  |
|---|--|
| Wound healing <sup>[55]</sup>               | <i>Vrinaropana</i> <sup>[36],[37]</sup>            |
| Cardioprotective <sup>[49],[50]</sup>       | <i>Hridya</i> <sup>[36],[37]</sup>                 |
| Antidiabetic <sup>[47],[48]</sup>           | <i>Pramehanashaka</i> <sup>[38],[39]</sup>         |
| Malaria <sup>[61]</sup>                     | <i>Vishamjwara</i> <sup>[34],[37]</sup>            |
| Gastro-intestinal disorders <sup>[52]</sup> | <i>Udararoga</i> <sup>[37],[38]</sup>              |
| Antihemithic activity <sup>[60]</sup>       | <i>Krimiroga</i> <sup>[38],[39]</sup>              |
| Antitussive activity <sup>[46]</sup>        | <i>Kasahara</i> <sup>[21]</sup>                    |
| Hepato-protective activity <sup>[51]</sup>  | <i>Kamlanashaka</i> <sup>[35],[36],[37],[38]</sup> |
| Immunomodulatory Activity <sup>[44]</sup>   | <i>Rasayana</i> <sup>[36,39]</sup>                 |

**CONCLUSION**

From the detailed review, it can be inferred that *Haritaki* is an important plant used in Ayurveda as well as in other indigenous systems of medicine. The mythological origin of the plant represents the immortal nature of therapeutic attributes in the human body. This review attempts to summarize the various facts about *Haritaki (Terminalia chebula)* including its pharmacological actions. Flavonoids, hydrolysable tannins, terpenes and gallic acid are the main constituents which are responsible for its pharmacological activities. It is a frequently used Ayurvedic medicine to treat many diseases such as skin diseases, anemia, jaundice, constipation, piles, asthma, cough, fever, chronic ulcers etc. It is a *Rasayana* i.e. promote health, immunity and

longevity. This review gives a wide knowledge about the herb and their importance as medicine.

**REFERENCES**

- Bhavaprakasa Nighantu, Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Shloka No. 1/5, Chaukhamba Sanskrit Pratishthan:Delhi,1<sup>st</sup> ed,2018;p.1
- Agnivesha Charaka Samhita Edited by Dr. Brahmananad Tripathi. Vol.I, Sutrasthana. 25/ 40, Chaukhamba Subharati Prakashana: Varanasi,2006;p.454
- Dr. Shailaja Srivastava ,‘Jivanprada’ hindi commentary on Sharangdhara Samhita of Acharya Sharangadhar, Sharangdhra Samhita, 1<sup>st</sup> Part 4/3-4, Chaukhamba Orientalia, Varanasi, 2009.
- Chopra RN, Nayar SL, Chopra IC. New Delhi: CSIR; 1956. Glossary of Indian medicinal plants; p. 242
- Bhavaprakasa Nighantuh, Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Shloka No.1/7; Chaukhamba Sanskrit Pratishthan: Delhi,1<sup>st</sup> ed, 2018;p.2
- Bhavaprakasa Nighantuh Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Chaukhamba Sanskrit Pratishthan: Delhi,1<sup>st</sup> ed,2018; p.5-6
- “Dhanvantari Nighantu” Sanskrit Text And English Translation,Vol-I, Commented by Dr. S.D. Kamat,Guduchyadi Varga, Shloka No. 209-210, Chaukhamba Sanskrit Pratishthan : Delhi, 2011;p.76
- Acharya Shodhala, “Shodhala Nighantu”, Text with English- Hindi Commentaries, Commentated by Prof. (Dr.) Gyanendra Pandey et al., Guduchyadi Varga,Shloka No.231-233, Chowkhamba Krishnadas Academy: Varanasi.1<sup>st</sup> ed, 2009;p.45
- Madanpala Nighantu, English Translation by Dr. J.L.N.Sastry. Abhayadi Varga, Shloka No. 20-21, Chaukhamba Orientalia: Varanasi,2017;p.4
- Kaiyadeva Nighantu. (Pathyapathya-Vibodhakah) Edited and Translated by Prof. Priyavrata and Dr. Guru Prasada Sharma, Aushadhi Varga, Shloka No.221, Chaukhamba Orientalia: Varanasi,2017;p.45
- Bhavaprakasa Nighantuh Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Shloka No.6-7, Chaukhamba Sanskrit Pratishthan: Delhi,1<sup>st</sup> ed, 2018;p.2
- Sri Narhari Pandit, Raj Nighantu, (English Translation With Critical Commentary) Edited By Prof. K.C.Chunekar et al., Amradi Varga, Shloka No-214-215, Chaukhamba Orientalia: Varanasi,2017;p.621
- Kumar KJ. Effect of geographical variation on contents of tannic acid, Gallic acid, chebulinic acid and ethyl gallate in *Terminalia chebula*. Natural Product 2006; 2(3-4):170-75.
- Pulliah T. Encyclopaedia of world medicinal plants. New Delhi, India: Regency Pub Vol 4 pp 19311934.
- Srivastava A, Chandra A, Singh M Jamal F, Rastogoi P, Rajendran SM, Bansode FW, Lakshmi V. Inhibition of hyaluronidase activity of human and rat spermatozoa in vitro and antispermatogenicactivity in rats in vivo by *Terminalia chebula*, a flavonoids rich plant. Reproductive Toxicol 2010; 29:214-24
- Kundu AP, Mahato SB. Triterpenoids and their glycosides from *Terminalia chebula*. Phytochemistry 1993; 32(4); 999-1002
- Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi, Vol.I, Sutrasthana.4-11/12, Chaukhamba Subharati Prakashana:Varanasi 2006;p.81

18. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi, Vol.I, Sutrasthana.4-11/13, Chaukhamba Subharati Prakashana:Varanasi,2006;p.82
19. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I,Sutrasthana.4-13-24, Chaukhamba Subharati Prakashana,;Varanasi, 2006;p.87
20. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I,Sutrasthana.4-15/30, Chaukhamba Subharati Prakashana:Varanasi,2006;p.88
21. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I, Sutrasthana.4-16/36, Chaukhamba Subharati Prakashana:Varanasi,2006;p.91
22. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I,Sutrasthana.4-16/39, Chaukhamba Subharati Prakashana:Varanasi,2006;p.92
23. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I,Sutrasthana.4-18/49, Chaukhamba Subharati Prakashana:Varanasi,2006;p.97
24. Agnivesha Charaka Samhita Edited by Dr Brahmananad Tripathi,Vol.I, Sutrasthana.4-19/50, Chaukhamba Subharati Prakashana:Varanasi, 2006;p.98
25. Shri Agnivesha,Charaka Samhita, Revised by Charaka and Dridhjala, Introduce by Sri S. N. Sastri, Elaborated Vidyotini hindi Commentry by Pt. Kasinatha Sastri And Dr. Gorakha Nath Chaturvedi, Chaukhambha Bharti Academy :Varanasi,2009.
26. Sushruta,Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues, Sutrasthana, 38/26, Chaukhamba Sanskrit Pratishthan:Delhi,2015;p.312
27. Sushruta, Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues, Sutrasthana.38/20, Chaukhamba Sanskrit Pratishthan: Delhi,2015;p.312
28. Sushruta, Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues, Sutrasthana. 38/43, Chaukhamba Sanskrit Pratishthan:Delhi,2015;p.315
29. Sushruta, Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues,Sutrasthana. 38/54, Chaukhamba Sanskrit Pratishthan:Delhi,2015;p.316
30. Sushruta, Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues,Sutrasthana. 38/56, Chaukhamba Sanskrit Pratishthan:Delhi,2015;p.316
31. Sushruta, Sushruta Samhita, Part-1, (Sutra & Nidana-Sthana) Edited by Prof. G.D. Singhal & Colleagues,Sutrasthana. 38/60, Chaukhamba Sanskrit Pratishthan:Delhi,2015;p.317
32. Acharya Indu, 'Shashilekha' Sanskrit Comentary on Ashtanga Samgraha of Vriddha Vagbhatta, Edited by Dr. Shivprasad Sharma,Su.16/29, Chaukhamba Sanskrit Series office,2008.
33. Kaviraj Atrideva Gupta, 'Vidyotini' Tika of Ashtanga Hridaya, Su.15/35, Chaukhambha Prakashana,2009.
34. Acharya Shodhala, "Shodhala Nighantu", Commentated by Prof. (Dr.) Gyanendra Pandey et al.,Guduchyadi Varga,Shloka-No.215-221,Chowkhamba Krishnadas Academy: Varanasi,1<sup>st</sup> ed,2009;p.219
35. Sri Narhari Pandit, Raj Nighantu, (English Translation With Critical Commentary) Edited By Prof. K.C.Chunekar et al., Amradi Varga, Shloka No.216, Chaukhambha Orientalia: Varanasi,2017;p.622
36. "Dhanvantari Nighantu" Sanskrit Text And English Translation,Vol-I, Commented by Dr. S.D. Kamat,Guduchyadi Varga, Shloka No.213-216, Chaukhamba Sanskrit Pratisthan: Delhi, 2011;p.76-77
37. Madanpala Nighantu, English Translation by Dr. J.L.N.Sastri.Abhayadi Varga, Shloka No.23-25,Chaukhambha Orientalia:Varanasi,2017;p.5
38. Kaiyadeva Nighantu. (Pathyapathya-Vibodhakah) Edited and Translated by Prof. Priyavrata and Dr. Guru Prasada Sharma, Aushsdi Varga, Shloka No.222-228, Chaukhambha Orientalia: Varanasi,2017;p.45
39. Bhavaprakasa Nighantuh Vol-1 Edited by Dr.S.D.Kamat,Haritakyadi Varga, Shloka No.18-22,Chaukhamba Sanskrit Pratishthan:Delhi.1<sup>st</sup> ed,2018;p.3
40. Bhavaprakasa Nighantuh Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Shloka No.1/7-8, Chaukhamba Sanskrit Pratishthan: Delhi.1<sup>st</sup> ed,2018;p.2
41. Kaiyadeva Nighantu. (Pathyapathya-Vibodhakah) Edited and Translated by Prof. Priyavrata and Dr. Guru Prasada Sharma, Aushsdi Varga, Shloka No.230, Chaukhambha Orientalia: Varanasi,2017;p.45
42. Bhavaprakasa Nighantuh Vol-1 Edited by Dr.S.D.Kamat, Haritakyadi Varga, Shloka No.1/33,Chaukhamba Sanskrit Pratishthan: Delhi.1<sup>st</sup> ed,2018;p.4
43. P.V. Sharma, Dravyaguna-vijnana, Chaukhambha Bharti Academy: Varanasi, Reprint 2015,vol 2,p.753.
44. Vaibhav Aher and Arunkumar Wahi Immunomodulatory Activity of Alcohol Extract of *Terminalia chebula* Retz Combretaceae Tropical Journal of Pharmaceutical Research October 2011; 10 (5): 567- 575.
45. Chen X., Sun F., Ma L., Wang J., Qin H., Du G. In vitro evaluation on the antioxidant capacity of tri-ethylchebulate, an aglycone from *Terminalia chebula* Retz fruit. Indian Journal of Pharmacol 2011; 43(3):320–323.
46. Gabriela Nosalova et.al. hasevaluated the anti-tussive activity of water-extracted carbohydrate polymer from the fruits of *Terminalia chebula retz*.inguinea pigs.Hindawi Publishing corporation, Evidence based complementary and alternative medicine.Volume- 3.2013.
47. Murali Y.K et.al. Long-term effects of *Terminalia chebula* Retz. On hyperglycemia and associated hyperlipidemia, tissue glycogen content and in-vitro release of insulin in streptozotocin induced diabetic rats. Exp Clin Endocrinol Diabetes. 2007; 115(10):6.
48. Kannan VR.et. al. Anti-diabetic activity on ethanolic extracts of fruits of *Terminalia chebula* Retz. Alloxan induced diabetic rats. Am J Drug Discov Dev 2012; 2: 135-142.
49. Suchalatha S, Shyamadevi CS. Protective effect of *Terminalia chebula* against experimental myocardial injury induced by isoproterenol. Indian J Exp Biol.2004;42(2):174–178.
50. Reddy VRC. Cardioprotective activity of the fruit of *Terminalia chebula*. Fitoterapia. 1990;61:517–525.
51. Tasduq S.A., Singh K., Satti N.K., Gupta D.K., Suri K.A. *Terminalia chebula*(fruit) prevents liver toxicity caused by sub-chronic administration of rifampicin, isoniazid and pyrazinamide in combination. Hum Exp Toxicol 2006; 25:8.
52. Sohni YR, Kaimal P, Bhatt RM. The antiameobic effect of crude drug formulation of herbal extracts against *Entamoeba histolytica* in vitro and in vivo. J Ethnopharmacol. 1995; 45(1):43–52.
53. Sharma P, Prakash T, Kotresha D, Ansari MA, Sahrm UR, Kumar B, et al. et al. Antiulcerogenic activity of *Terminalia chebula* fruit in experimentally induced ulcer in rats. Pharm Biol. 2011;49(3):262–268.
54. Anwesa Bag,Subir Kumar Bhattacharyya, and Rabi Ranjan Chattopadhyay; The development of *Terminalia chebula* Retz.

- (Combretaceae) in clinical research; Asian Pac J Trop Biomed. 2013 Mar; 3(3): 244–252.)
55. Sharma P., Prakash T., Kotresha D., Ansari M.A., Sahrm U.R., Kumar B., Debnath J., Goli D.. Anti-ulcerogenic activity of *Terminalia chebula* fruit in experimentally induced ulcer in rats. Pharm Biol. 2011; 49(3):7.
56. Nair V., Singh S., Gupta Y.K. Anti-arthritic and disease modifying activity of *Terminalia chebula* Retz. In experimental models. Journal of Pharm Pharmacol. 2010; 62(12):7.
57. Ponnusankar S., Pandit S., Babu R., Bandyopadhyay A. Mukherjee P.K. Cytochrome P450 inhibitory potential of Triphala-A Rasayana from Ayurveda. Journal of Ethnopharmacol 2011; 133(1):5.
58. Lin L.T., Chen T.Y., Chung C.Y., Noyce R.S., T.B. Grindley, McCormick C., Lin T.C., Wang G.H., Lin C.C., Richardson C.D. Hydrolyzable tannins (chebulagic acid and punicalagin) target viral glycoprotein-glycosaminoglycan interactions to inhibit herpes simplex virus 1 entry and cell-to-cell spread. Journal of Virol. 2011; 85(9):5.
59. Gandhi N.M., Nair C.K.K. Radiation protection by *Terminalia chebula*: Some mechanistic aspects. Mol Cell Biochem 2005; 277:7.
60. S. Dwivedi et.al. evaluated the anti-helmintic activity of alcoholic and aqueous extracts of the fruits of *Terminalia chebula* Ritz. Ethnobotanical leaflets. 12:741-43.
61. Khosit Pinmai et.al. to evaluate the anti-plasmodial activity of *Phyllanthus emblica*, *Terminalia chebula*, and *Terminalia bellerica* extracts. J Med Assoc Thai 2010;93 (Suppl. 7) S120-S126.

**How to cite this article:** Dr. Shalu Sharma, Dr. Bhavna Singh, Dr. Hement Kumar. A Critical Review of Pharmacological Actions of Haritaki (*Terminalia chebula* Retz) In Classical Texts. J Ayurveda Integr Med Sci 2019;4:258-269.

**Source of Support:** Nil, **Conflict of Interest:** None declared.

\*\*\*\*\*