

Journal of Ayurveda and Integrated Medical Sciences

www.jaims.in



Not of

ISSN: 2456-3110 ORIGINAL ARTICLE Nov-Dec 2016

To study the efficacy of Sarshapa Taila Karnapurana in Atiyoga of Karnendriya w.s.r. to continuous head phone users

Vivek Dhongdi

Assistant Professor, Dept. of Swashthvrutta, B. M. Ayurveda Mahavidyalaya, Nagpur, Maharashtra, India.

ABSTRACT

Background: Irrational use of electronic sound conductor as head phones, smart phone overuse causes sound pollution which affects the ear. In some extent Apathyakara Ahara Vihara also leads in development of different types of Karnarogas. Objectives: To study the efficacy of Sarshapa Taila Karnapurana in Atiyoga of Karnendriya w.s.r. to continuous head phone users. Result and **Discussion**: Sarshap taila better acts on different symptoms of Atiyoga of Karnendriya headache, vertigo, Karnashuskata and Karnanada. The percentage of relief was observed more in Sarshapa Taila compared to Tila Taila. This Taila is easily available and cheap conservative line of treatment for Atiyoga of Karnendriya.

Key words: Karnendriya, Sarshapa Taila, Karnapuran.

INTRODUCTION

Ayurveda aims at maintaining the health of "Swastha Purush" and also cures the Vyadhi of 'Atur Purush'. Changing lifestyle and poor hygiene leads to chronic disease, ear disease. Recently use of multimedia and technologies leads into some ear disorders like Atiyoga (in excess) of Karnendriya. Karna (ear) is considered as one among the Panchendriyas also known as Shrotrendriya. Main function of ear is the perception of Sound. Along with function of hearing, it maintains the equilibrium of body.

Nowadays there is a lot of change in the life styles of

Address for correspondence:

Dr.Vivek Dhongdi

Assistant Professor, Dept. of Swashthvrutta, B. M. Ayurveda Mahavidyalaya, Nagpur.

E-mail: sunder147@gmail.com

Accepted Date: 30/12/2016



peoples. Generally people pay attention to different food habits and way of living. Very cold foods like icecream, cold drinks have an increasing demand, fast foods, consumption of such products leads to vitiation of Doshas in human body. Due to growth of population, number of vehicles have increased which results in air and sound pollution. Irrational use of electronic sound conductor as head phones, smart phone overuse causes sound pollution which affects the ear. In some extent Apathyakara Ahara Vihara also leads in development of different types of Karnarogas.

Acharya Sushruta described 28 Karnarogas in Sushruta Samhita. Among these 'Atiyoga Karnendriya' causes major symptomatic condition which may leads to Karnanada which is one of the major serious diseases mostly found in many individuals.

According to modern science due to Atiyoga (excess exercise in terms of time and intensity of sound on ear) of Karnendriya, vertigo, headache, Karnashuskata, Karnadaha, tinnitus are mostly seen in many patients. This Karna Atiyoga resembles with vertigo, headache, Karnadaha and Karnanada.

ISSN: 2456-3110

The symptoms related to Atiyoga of Karnendriya are commonly found in younger's because of continuous electronic sound conductor like headphones are used continuously. These Vihara causes above symptoms may leads to less hearing sense in younger which will affect physical and mental health of the youngsters. So it is necessary to treat properly. In modern practice these diseases are treated by systemic as well as local analgesics or steroids and anti-inflammtory drugs. But recurrences are very common. This will again affect the economical status of the patient. So it needs economically better treatment. In Karnanada there is vitiating of Tridosha. In this Vata will leads to dry of Kapha which produces Kha in the external auditory canal. Vata associates with pain in this disease. So mainly Tridoshaghna treatment is required. Sarshapa Taila and Tila Taila has very much beneficial in Karnanada. It has different ingredients which would reduce the symptoms.

Excessive use of headphones with high frequency sounds and lack of knowledge of peoples, this disease is seen commonly. According to *Ashtanga Hrudaya, Sarshapa Taila* could be useful in reducing the symptoms in *Atiyoga* of *Karnendriya* mention in *Dinacharya*.

OBJECTIVES

To study the efficacy of *Sarshapa Taila Karnapurana* in *Atiyoga* of *Karnendriya* w.s.r. to continuous head phone users.

MATERIALS AND METHODS

This Clinical trials was conducted on 30 healthy individuals between the age group of 20-30 years in both the sex were carried out.

Group A: 15 individuals were given *Sarshapa Taila Karnapurana*.

Group B: 15 individuals were given *Tila Taila Karnapurana*.

Selection of Upakrama

- Upakrama Karnapurana
- Time At night (after meal)

- Quantity 10 drops
- Form Taila

Period of study: 60 days

Source of Data: The source of availability of the patients will be from OPD and IPD of BVMF, Ayurved Hospital Call center (TCS - Pune-411030)

Procedure

Procedure of *Karnapurana* was done according to Ashtanga Hrudaya.

- First visit patient should come in morning.
- Patient is asked to lie down on Vama Kushi.
- Instill 10 drops of Sarshapa Taila in ear and wait for 100 Matras (3 minutes)
- Put cotton in the instilled ear, same procedure will be performed in other ear.
- Patient should follow this procedure daily at night after dinner and can go to sleep.

Procedure for data collection

A standard case paper regarding ear symptoms and informed consent letter was prepared and observations were noted accordingly.

Follow up

Follow up of patients was done on every 7 days. Total five follow ups were taken.

Inclusion criteria

- The individuals with Lakshanas of -Karnashuskata, Karnadaha, headache, vertigo, Karnanada will be included.
- 2. Individuals between the age group of 20 to 30 years will be included using headphones for atleast 8hrs a day.
- 3. Individuals of both sex will be included.
- 4. Patients willing for *Karna Purana* will be included.

Exclusion criteria

- 1. Contraindication for Karnapurana
- 2. Congenital disease of ear

- 3. Karnasrava
- 4. Secondary cases associated with *Karnashuskata*, *Karnadaha*, headache, vertigo, karnanada
- 5. Age < 20 >30.
- 6. Pregnant ladies
- 7. Individuals associated with life threatening diseases.

Assessment Criteria

Severity of signs and symptoms are recorded by gradation method.

Gradation chart

| 0 | Nil |
|-----|----------|
| + | Mild |
| ++ | Moderate |
| +++ | Severe |

Methods

Karnapurana was done as per Ashtanga Hridaya procedure i.e. Koshna Taila was poured 10 drops with dropper in each ear for 100 Matras (3 minutes) Sarshap Taila was autoclaved to avoid the fungal infection.

Group A

15 healthy subjects were given Til taila Karnapuran.

Group B

15 subjects having *Atiyoga* of *Karnendriya* were given *Sarshapa Taila Karnapuran*.

Period of study: 28 days

Post follow up: On 60th day

Gradation of all the symptoms

Karna Daha

- Grade 0 Normal
- Grade 1 Intermitent Daha
- Grade 2 Continuous Hot Vapours from ear

Karna Shuskata

- Grade 0 Absent
- Grade 1 Present

Headache

- Grade 0 Normal
- Grade 1 Mild
- Grade 2 Intermittent
- Grade 3 Severe

Vertigo

- Grade 0 Normal
- Grade 1 Intermittent
- Grade 2 Loss of Balance

Karnanada

- Grade 0 Normal
- Grade 1 Mild
- Grade 2 Intermitent
- Grade 3 Continuous

OBSERVATION AND RESULTS

Table 1: Showing percentage of relief in 30 patients of *Karnanada*

| Symptoms | Group - A (Sarshapa Taila) | | | Group-B (<i>Tila Taila</i>) | | | | |
|-------------------|-------------------------------|----|------|-------------------------------|----|----|------|----------------|
| | вт | AT | Diff | % of Relief | вт | AT | Diff | % of Relief |
| Karna Daha | 22 | 05 | 17 | 76.7 | 21 | 07 | 14 | 63.3 |
| Karna Shuskata | 15 | 04 | 11 | 73.3 | 15 | 06 | 09 | 60.0 |
| Shirashoola | 16 | 03 | 13 | 63.3 | 16 | 06 | 10 | 43.3 |
| Bhrama | 05 | 02 | 03 | 20.0 | 08 | 03 | 05 | 33.3 |
| Karnanada | 21 | 04 | 67 | 86.7 | 21 | 7 | 14 | 63.3 |

Percentage of relief in symptoms score

In Group-A percentage of relief noted in *Karna Daha* was 76.7%, In other symptoms like *Karna Shuskata*, *Shirashool, Bhrama* and *Karnanada* percentage of relief was noted as 73.3%,63.3%,20% and 86.7% respectively.

In Group-B percentage of relief noted in *Karna Daha* was 63.3%, In other symptoms like *Karna Shuskata, Shirashool, Bhrama* and *Karnanada* percentage of relief was noted as 60%, 43.3%,33.3% and 63.3% respectively.

In Group-B percentage relief was marginally compared to Group-A.

DISCUSSION

Karna is one of the most important Jnanendriya in body. Its important function is hearing. It is also important organ in maintaining balance of body. The common symptoms produced by Atiyoga of Karnendriya causes inconvenience to the patients in daily routine. So it is necessary to have very effective treatment without side effects and economical drug on it.

Various antibiotics and anti-inflammatory drugs are used, but there effect is found to be less. After study it is observed that the patients having the habits of exposure to noise pollution and excessive headphone users are more prone to this disease. In age wise distribution of the patients 20-30 years of age group are more prone to this disease, because of excessive head phone users. In occupation wise distribution of patients, excessive head phone users are more prone to these symptoms.

CONCLUSION

Sarshapa Taila better acts on different symptoms of Atiyoga of Karnendriya like headache, vertigo, Karnashuskata and Karnanada. People who exposed to noise pollution and excessive head phone users are

maximum prone to this disease. The percentage of relief was observed more in *Sarshapa Taila* use comparative to *Tila Taila*. This *Taila* used for longer duration may prove more effective in *Atiyoga* of *Karnendriya*. This *Taila* is easily available and cheap conservative line of treatment for *Atiyoga* of *Karnendriya*.

REFERENCES

- Vagbhata, Ashtanga Hridaya edited by Dr. Kunte & Navare, 9th edition, Chaukhamba Orientalia, Varanasi, 2005.
- Agnivesha, Charaka Samhita—Elaborated by Charaka and Dridhabala with the Ayurveda – Dipika commentary by Chakrapanidatta. Edited by Vaidya Jadavaji Trikamji Acharya, 5th ed. Chaukhamba Surbharati Prakashan; Reprint ed., Varanasi, 2000.
- Charaka, Charaka Samhita edited by Dr. Pandey, Chaukhamba Sanskrit Samsthana, edition reprint 2007.
- Charaka, Charaka Samhita edited by Dr. Pandey, Chaukhamba Sanskrit Samsthana, edition reprint 2007.
- Vagbhata, Ashtanga Hridaya edited by Dr. Kunte & Navare, 9th edition, Chaukhamba Orientalia, Varanasi, 2005.
- Vagbhata, Ashtanga Hridaya edited by Dr. Kunte & Navare, 9th edition, Chaukhamba Orientalia, Varanasi, 2005
- 7. Charaka, Charaka Samhita edited by Dr. Pandey, Chaukhamba Sanskrit Samsthana, edition reprint 2007.
- Vagbhata, Ashtanga Hridaya edited by Dr. Kunte & Navare, 9th edition, Chaukhamba Orientalia, Varanasi, 2005.

How to cite this article: Vivek Dhongdi. To study the efficacy of *Sarshapa Taila Karnapurana* in *Atiyoga* of *Karnendriya* w.s.r. to continuous head phone users. J Ayurveda Integr Med Sci 2016;4:57-60. http://dx.doi.org/10.21760/jaims.v1i4.6918

Source of Support: Nil, **Conflict of Interest:** None declared.
